

**SECTIONAL ELEVATION A-A**


**BACKDROP MANHOLE  
TYPE 3**

D	MANHOLE COVER, FRAME & SHAFT WIDTH UPDATED	ORIGINAL SIGNED	10.5.2010
C	REDRAWN BY CAD	ORIGINAL SIGNED	8.8.2001
B	GENERAL REVIEW	ORIGINAL SIGNED	2.2.2001
A	GENERAL REVISION	ORIGINAL SIGNED	22.7.1994
REV.	DESCRIPTION	SIGNATURE	DATE

**DRAINAGE SERVICES DEPARTMENT**

REFERENCE	DRAWING No.
SCALE 1 : 30	DS 1020D ( SHEET 1 OF 3 )

DIA. OF INLET PIPE	DIA. OF DOWN PIPE
150	150
225	225
300	225
375	300
450	300



## SECTIONAL PLAN

### NOTES:

1. ALL DIMENSIONS ARE IN MILLIMETRES.
2. THIS TYPE OF BACKDROP MANHOLE IS PREFERABLY USED IN FOUL SEWER.

D	MANHOLE COVER, FRAME & SHAFT WIDTH UPDATED	ORIGINAL SIGNED	10.5.2010
C	REDRAWN BY CAD	ORIGINAL SIGNED	8.8.2001
B	GENERAL REVIEW	ORIGINAL SIGNED	2.2.2001
A	GENERAL REVISION	ORIGINAL SIGNED	22.7.1994
REV.	DESCRIPTION	SIGNATURE	DATE

## BACKDROP MANHOLE TYPE 3

## DRAINAGE SERVICES DEPARTMENT


REFERENCE

DRAWING No.


SCALE

1 : 30

DS 1020D  
( SHEET 2 OF 3 )



**SECTION A-A**



**PLAN**

**NOTES:**

1. ALL STEELWORKS SHOULD BE GALVANISED AFTER COMPLETION OF WELDING.

D	MANHOLE COVER, FRAME & SHAFT WIDTH UPDATED	ORIGINAL SIGNED	10.5.2010
C	REDRAWN BY CAD	ORIGINAL SIGNED	8.8.2001
B	GENERAL REVIEW	ORIGINAL SIGNED	2.2.2001
A	GENERAL REVISION	ORIGINAL SIGNED	22.7.1994
REV.	DESCRIPTION	SIGNATURE	DATE

**BACKDROP MANHOLE  
TYPE 3**

**DRAINAGE SERVICES DEPARTMENT**

REFERENCE

DRAWING No.

SCALE

1 : 6

**DS 1020D**  
( SHEET 3 OF 3 )